

# *Stability measurements of ATF-DR beam and Extracted beam*

*H.Hayano, KEK*



*ATF Introduction*



*ATF Linac beam stability*

*DR orbit stability*

*Extracted beam stability*

*Source of instability*

# ATF Introduction



$$E=1.28\text{GeV}$$

$$N_e=1 \times 10^{10} \text{ e-}/\text{bunch}$$

$$\text{Rep}=1.5\text{Hz}$$

$$X \text{ emit}=2.5\text{E-}6$$

$$Y \text{ emit}=2.5\text{E-}8$$

# *Linac beam stability*



- *Single shot BPMs*
- *Synchronous data acquisition system*
- *RF gun test for more stable injection*

# *DR beam stability*



- *Single shot BPMs*
- *Turn-by-turn BPM*
- *SR monitor*
- *Laser wire scanner*

# *Extracted beam stability*



- *Double kicker extraction*
- *Tungsten wire scanner*
- *Cavity BPM*

# Beam Stability



- **Linac & BT**

	<i>therm+SHB</i>	<i>RF gun</i>
<i>orbit (rms)</i>	Y <i>31~160<math>\mu</math>m</i>	Y <i>18~55<math>\mu</math>m</i>
<i>energy</i>	<i>0.04~0.12%</i>	<i>0.06~0.08%</i>
<i>energy spread (rms)</i>	<i>0.4%+tail</i>	<i>0.2%</i>
- **DR**

<i>orbit (p.p.)</i>	Y <i>~20<math>\mu</math>m</i> 50Hz? 300Hz?
<i>longitudinal</i>	<i>~1 degree dipole Osc.</i>
- **Extraction**

<i>orbit (rms)</i>	X <i>5<math>\mu</math>m</i> , Y <i>2<math>\mu</math>m</i>
--------------------	---

# Source of instability



- **Linac**

*Gun & RF bunching system*      *timing jitter, multi-pact...*  
*klystron amplitude & phase*

- **DR**

*Magnet power supply*      *ripple...*  
*longitudinal oscillation*      *ripple on rf...*

- **Extraction**

*Instability from DR*

*Double kicker*      *small break-down....*



*final*